Contents

The Journal of Clinical Investigation
July 1993, Volume 92, Number 1

Editorials

In sickle disease, unlike wine, dry is not good. *S. L. Schrier* 1
When sugar is not so sweet: glucose toxicity. *A. E. Boyd III and L. G. Moss* 2
Syndrome X: what's old, what's new, what's etiologic? *H. N. Ginsberg* 3

Regular Articles

Vanadate treatment restores the expression of genes for key enzymes in the glucose and ketone bodies metabolism in the liver of diabetic rats. *A. Valera, J. E. Rodriguez-Gil, and F. Bosch* 4
Two mutations in the hormone binding domain of the vitamin D receptor cause tissue resistance to 1,25 dihydroxyvitamin D_3. *K. Kristjansson, A. R. Rut, M. Hewison, J. L. H. O'Riordan, and M. R. Hughes* 12
Glycochenodeoxycholate-induced lethal hepatocellular injury in rat hepatocytes. Role of ATP depletion and cytosolic free calcium. *J. R. Spivey, S. F. Bronk, and G. J. Gores* 17
Elevated sympathetic nerve activity in patients with accelerated essential hypertension. *T. Matsukawa, T. Mano, E. Gotoh, and M. Ishii* 25
Contractile elements and myosin light chain phosphorylation in myometrial tissue from nonpregnant and pregnant women. *R. A. Word, J. T. Stull, M. L. Casey, and K. E. Kamm* 29
Treating activated $CD4^+$ T cells with either of two distinct DNA methyltransferase inhibitors, 5-azacytidine or procainamide, is sufficient to cause a lupus-like disease in syngeneic mice. *J. Quddus, K. J. Johnson, J. Gavalchin, E. P. Amento, C. E. Chrisp, R. L. Yung, and B. C. Richardson* 38
Induction of vascular endothelial tubular morphogenesis by human glioma cells. A model system for tumor angiogenesis. *T. Abe, K. Okamura, M. Ono, K. Kohno, T. Mori, S. Hori, and M. Kuwano* . . 54
Human organ-specific autoimmune disease. Molecular cloning and expression of an autoantibody gene repertoire for a major autoantigen reveals an antigenic immunodominant region and restricted immunoglobulin gene usage in the target organ. *G. D. Chazenbalk, S. Portolano, D. Russo, J. S. Hutchison, B. Rapoport, and S. McLachlan* 62
Lipoxin A_4 modulates transmigration of human neutrophils across intestinal epithelial monolayers. *S. P. Colgan, C. N. Serhan, C. A. Parkos, C. Delp-Archer, and J. L. Madara* 75
GP2, the homologue to the renal cast protein uromodulin, is a major component of intraductal plugs in chronic pancreatitis. *S. D. Freedman, K. Sakamoto, and R. P. Venu* 83
Interaction between glucose and free fatty acid metabolism in human skeletal muscle. *D. E. Kelley, M. Mokan, J.-A. Simoneau, and L. J. Mandarino* 91
Nitric oxide regulates the expression of vasoconstrictors and growth factors by vascular endothelium under both normoxia and hypoxia. *S. Kourembanas, L. P. McQuillan, G. K. Leung, and D. V. Faller* . . . 99
Immunologic effects of National Cholesterol Education Panel Step-2 diets with and without fish-derived N-3 fatty acid enrichment. *S. N. Meydani, A. H. Lichtenstein, S. Cornwall, M. Meydani, B. R. Goldin, H. Rasmussen, C. A. Dinarello, and E. J. Schaefer* 105
Effect of fasting, hypocaloric feeding, and refeeding on the energetics of stimulated rat muscle as assessed by nuclear magnetic resonance spectroscopy. *A. Mijan de la Torre, A. Madapallimattam, A. Cross, R. L. Armstrong, and K. N. Jeejeebhoy* 114
Myocardial electrical propagation in patients with idiopathic dilated cardiomyopathy. *K. P. Anderson, R. Walker, P. Urie, P. R. Ershler, R. L. Lux, and S. V. Karwandee* 122
Insulin resistance and hyperinsulinemia in individuals with small, dense, low density lipoprotein particles. *G. M. Reaven, Y.-D. I. Chen, J. Jeppesen, P. Maheux, and R. M. Krauss* 141
Differential effects of hyperinsulinemia and carbohydrate metabolism on sympathetic nerve activity and muscle blood flow in humans. *P. Vollenweider, L. Tappy, D. Randin, P. Schneiter, E. Jéquier, P. Nicod, and U. Scherrer* 147
Effects of galactose feeding on aldose reductase gene expression. *R. R. Wu, P. A. Lyons, A. Wang, A. J. Sainsbury, S. Chung, and T. N. Palmer* 155
Impaired fatty acid metabolism in familial combined hyperlipidemia. A mechanism associating hepatic apolipoprotein B overproduction and insulin resistance. *M. Castro Cabezas, T. W. A. de Bruin, H. W. de Valk, C. C. Shoulders, H. Jansen, and D. W. Erkelens* 160
Attenuated prostaglandin formation in peroxisomal-deficient human skin fibroblasts. *J. A. Gordon, L. J. Warnock, and A. A. Spector* 169
Expression of 92-kD type IV collagenase/gelatinase (gelatinase B) in osteoarthritic cartilage and its induction in normal human articular cartilage by interleukin 1. *M. Mohtai, R. L. Smith, D. J. Schurman, Y. Tsuji, F. M. Torti, N. I. Hutchinson, W. G. Stetler-Stevenson, and G. I. Goldberg* 179
Overgrowth of human synovial cells driven by the human T cell leukemia virus type I *tax* gene. *T. Nakajima, H. Aono, T. Hasunuma, K. Yamamoto, I. Maruyama, T. Nosaka, M. Hatanaka, and K. Nishioka* 186
Highly efficient elimination of Philadelphia^1 leukemic cells by exposure to bcr/abl antisense oligodeoxynucleotides combined with mafosfamide. *T. Skorski, M. Nieborowska-Skorska, C. Barletta, L. Malaguarnera, C. Szczylik, S.-T. Chen, B. Lange, and B. Calabretta* 194
Mutations in exon 3 of the lipoprotein lipase gene segregating in a family with hypertriglyceridemia, pancreatitis, and non–insulin-dependent diabetes. *D. E. Wilson, A. Hata, L. K. Kwong, A. Lingam, J. Shuhua, D. N. Ridinger, C. Yeager, K. C. Kaltenborn, P.-H. Iverius, and J.-M. Lalouel* 203
Increased collagen-linked pentosidine levels and advanced glycosylation end products in early diabetic nephropathy. *P. J. Beisswenger, L. L. Moore, T. Brinck-Johnsen, and T. J. Curphey* 212
Spontaneously oscillating K^+ channel activity in transformed Madin-Darby canine kidney cells. *A. Schwab, H.-J. Westphale, L. Wojnowski, S. Wünsch, and H. Oberleithner* 218
Biochemical and pharmacological properties of SR 49059, a new, potent, nonpeptide antagonist of rat and human vasopressin V_{1a} receptors. *C. Serradeil-Le Gal, J. Wagnon, C. Garcia, C. Lacour, P. Guiraudou, B. Christophe, G. Villanova, D. Nisato, J. P. Maffrand, G. Le Fur, G. Guillon, B. Cantau, C. Barberis, M. Trueba, Y. Ala, and S. Jard* . . 224
The integrin VLA-2 binds echovirus 1 and extracellular matrix ligands by different mechanisms. *J. M. Bergelson, B. M. C. Chan, R. W. Finberg, and M. E. Hemler* 232
Detection of pancreatic islet 64,000 M_r autoantigens in insulin-dependent diabetes distinct from glutamate decarboxylase. *M. R. Christie, J. A. Hollands, T. J. Brown, B. K. Michelsen, and T. L. Delovitch* . . . 240
The influence of the nature of the asparagine 289-linked oligosaccharide on the activation by urokinase and lysine binding properties of natural and recombinant human plasminogens. *D. J. Davidson and F. J. Castellino* 249
Fatty acid kinetic responses to exercise. Effects of obesity, body fat distribution, and energy-restricted diet. *J. A. Kanaley, P. E. Cryer, and M. D. Jensen* 255
Lack of control by glucose of ultradian insulin secretory oscillations in impaired glucose tolerance and in non-insulin-dependent diabetes mellitus. *N. M. O'Meara, J. Sturis, E. Van Cauter, and K. S. Polonsky* 262
Adaptation to supraphysiologic levels of insulin gene expression in transgenic mice: evidence for the importance of posttranscriptional regulation. *B. Schnetzler, G. Murakawa, D. Abalos, P. Halban, and R. Selden* 272
Histamine enhances interleukin (IL)-1–induced IL-1 gene expression and protein synthesis via H_2 receptors in peripheral blood mononuclear cells. Comparison with IL-1 receptor antagonist. *E. Vannier and C. A. Dinarello* 281
Thrombospondin-platelet interactions. Role of divalent cations, wall shear rate, and platelet membrane glycoproteins. *F. R. Agbanyo, J. J. Sixma, P. G. de Groot, L. R. Languino, and E. F. Plow* 288
A structure-activity relationship for induction of meningeal inflammation by muramyl peptides. *M. Burroughs, E. Rozdzinski, S. Geelen, and E. Tuomanen* 297
Glucocorticoid induction of epinephrine synthesizing enzyme in rat skeletal muscle and insulin resistance. *B. Kennedy, H. Elayan, and M. G. Ziegler* 303
Transbilayer mobility and distribution of red cell phospholipids during storage. *D. Geldwerth, F. A. Kuypers, P. Bütikofer, M. Allary, B. H. Lubin, and P. F. Devaux* 308
Tachykinin receptor antagonists inhibit hyperpnea-induced bronchoconstriction in guinea pigs. *J. Solway, B. M. Kao, J. E. Jordan, B. Gitter, I. W. Rodger, J. J. Howbert, L. E. Alger, J. Necheles, A. R. Leff, and A. Garland* 315
Interleukin 10 production correlates with pathology in human *Leishmania donovani* infections. *H. W. Ghalib, M. R. Piuvezam, Y. A. W. Skeiky, M. Siddig, F. A. Hashim, A. M. El-Hassan, D. M. Russo, and S. G. Reed* 324

Immunologic recognition of a 25-amino acid repeat arrayed in tandem on a major antigen of *Blastomyces dermatitidis*. *B. S. Klein, L. H. Hogan, and J. M. Jones* 330
Regional expression of the platelet-derived growth factor and its receptors in a primate graft model of vessel wall assembly. *L. W. Kraiss, E. W. Raines, J. N. Wilcox, R. A. Seifert, T. B. Barrett, T. R. Kirkman, C. E. Hart, D. F. Bowen-Pope, R. Ross, and A. W. Clowes* 338
Astrocytes are the primary source of tissue factor in the murine central nervous system. A role for astrocytes in cerebral hemostasis. *M. Eddleston, J. C. de la Torre, M. B. A. Oldstone, D. J. Loskutoff, T. S. Edgington, and N. Mackman* 349
Islet cell autoantigen 69 kD (ICA69). Molecular cloning and characterization of a novel diabetes-associated autoantigen. *M. Pietropaolo, L. Castaño, S. Babu, R. Buelow, Y.-L. S. Kuo, S. Martin, A. Martin, A. C. Powers, M. Prochazka, J. Naggert, E. H. Leiter, and G. S. Eisenbarth* 359
Attenuation of colitis in the Cotton-top tamarin by anti-α4 integrin monoclonal antibody. *D. K. Podolsky, R. Lobb, N. King, C. D. Benjamin, B. Pepinsky, P. Sehgal, and M. deBeaumont* 372
Highly efficient gene transfer into adult ventricular myocytes by recombinant adenovirus. *L. A. Kirshenbaum, W. R. MacLellan, W. Mazur, B. A. French, and M. D. Schneider* 381
Role of mesenchymal cell death in lung remodeling after injury. *V. A. Polunovsky, B. Chen, C. Henke, D. Snover, C. Wendt, D. H. Ingbar, and P. B. Bitterman* 388
Endothelin-1 is an autocrine/paracrine factor in the mechanism of angiotensin II–induced hypertrophy in cultured rat cardiomyocytes. *H. Ito, Y. Hirata, S. Adachi, M. Tanaka, M. Tsujino, A. Koike, A. Nogami, F. Marumo, and M. Hiroe* 398
Hyperthermia induces expression of transforming growth factor-βs in rat cardiac cells in vitro and in vivo. *K. C. Flanders, T. S. Winokur, M. G. Holder, and M. B. Sporn* 404
The novel compound NO-1886 increases lipoprotein lipase activity with resulting elevation of high density lipoprotein cholesterol, and long-term administration inhibits atherogenesis in the coronary arteries of rats with experimental atherosclerosis. *K. Tsutsumi, Y. Inoue, A. Shima, K. Iwasaki, M. Kawamura, and T. Murase* 411
Vagal afferent pathway mediates physiological action of cholecystokinin on pancreatic enzyme secretion. *Y. Li and C. Owyang* 418
Chrysotile asbestos upregulates gene expression and production of α-receptors for platelet-derived growth factor (PDGF-AA) on rat lung fibroblasts. *J. C. Bonner, A. L. Goodell, P. G. Coin, and A. R. Brody* . . 425
In vitro modulation of cisplatin accumulation in human ovarian carcinoma cells by pharmacologic alteration of microtubules. *R. D. Christen, A. P. Jekunen, J. A. Jones, F. Thiebaut, D. R. Shalinsky, and S. B. Howell* 431
Relationship between skeletal muscle lipoprotein lipase activity and 24-hour macronutrient oxidation. *R. T. Ferraro, R. H. Eckel, D. E. Larson, A.-M. Fontvieille, R. Rising, D. R. Jensen, and E. Ravussin* 441
Transient elevations of cytosolic free calcium retard subsequent apoptosis in neutrophils in vitro. *M. K. B. Whyte, S. J. Hardwick, L. C. Meagher, J. S. Savill, and C. Haslett* 446
Effects of low dosage progestin-only administration upon plasma triglycerides and lipoprotein metabolism in postmenopausal women. *B. M. Wolfe and M. W. Huff* 456
The 55-kD tumor necrosis factor receptor on human keratinocytes is regulated by tumor necrosis factor-alpha and by ultraviolet B radiation. *U. Trefzer, M. Brockhaus, H. Lötscher, F. Parlow, A. Budnik, M. Grewe, H. Christoph, A. Kapp, E. Schöpf, T. A. Luger, and J. Krutmann* . . . 462
Minimally modified low density lipoprotein–induced inflammatory responses in endothelial cells are mediated by cyclic adenosine monophosphate. *F. Parhami, Z. T. Fang, A. M. Fogelman, A. Andalibi, M. C. Territo, and J. A. Berliner* 471
Fish eye syndrome: a molecular defect in the lecithin-cholesterol acyltransferase (LCAT) gene associated with normal α-LCAT–specific activity. Implications for classification and prognosis. *H.-G. Klein, S. Santamarina-Fojo, N. Duverger, M. Clerc, M.-F. Dumon, J. J. Albers, S. Marcovina, and H. B. Brewer, Jr.* 479
Transmembrane glucose transport in skeletal muscle of patients with non–insulin-dependent diabetes. *R. C. Bonadonna, S. Del Prato, M. P. Saccomani, E. Bonora, G. Gulli, E. Ferrannini, D. Bier, C. Cobelli, and R. A. DeFronzo* 486
Characterization of the primary structure of T cell receptor β chains in cells infiltrating the salivary gland in the sicca syndrome of HIV-1 infection. Evidence of antigen-driven clonal selection suggested by restricted combinations of Vβ Jβ gene segment usage and shared somatically encoded amino acid residues. *E. Dwyer, S. Itescu, and R. Winchester* 495

Rapid Publications

Human heat shock protein 70 (hsp70) protects murine cells from injury during metabolic stress. *R. Sanders Williams, J. A. Thomas, M. Fina, Z. German, and I. J. Benjamin* 503
Decreased insulin response to glucose in islet cell antibody–negative siblings of type 1 diabetic children. *J.-C. Carel, C. Boitard, and P.-F. Bougnères* 509
Chronic exposure of HIT cells to high glucose concentrations paradoxically decreases insulin gene transcription and alters binding of insulin gene regulatory protein. *L. K. Olson, J. B. Redmon, H. C. Towle, and R. P. Robertson* 514
Inhibition of Ca^{2+}-dependent K^+ transport and cell dehydration in sickle erythrocytes by clotrimazole and other imidazole derivatives. *C. Brugnara, L. De Franceschi, and S. L. Alper* 520
Functional interleukin-2 receptors on intestinal epithelial cells. *C. Ciacci, Y. R. Mahida, A. Dignass, M. Koizumi, and D. K. Podolsky* 527
July Author Index 533

Contents

The Journal of Clinical Investigation
August 1993, Volume 92, Number 2

Editorials

Just (don't) do it. *R. T. Schooley* 535
Murine models for study of lipoprotein metabolism and atherosclerosis. *J. L. Witztum* 536
Vascular cell adhesion molecule-1 and smooth muscle cell activation during atherogenesis. *P. Libby and H. Li* . . 538

Regular Articles

Insulin-like growth factor-1 stimulation of lymphopoiesis. *R. Clark, J. Strasser, S. McCabe, K. Robbins, and P. Jardieu* 540
Cytomegalovirus infection enhances smooth muscle cell proliferation and intimal thickening of rat aortic allografts. *K. B. Lemström, J. H. Bruning, C. A. Bruggeman, I. T. Lautenschlager, and P. J. Häyry* 549
Inflammatory roles of P-selectin. *D. E. Lorant, M. K. Topham, R. E. Whatley, R. P. McEver, T. M. McIntyre, S. M. Prescott, and G. A. Zimmerman* 559
Electrical properties of the rabbit cortical collecting duct from obstructed and contralateral kidneys after unilateral ureteral obstruction. *S. Muto, Y. Miyata, and Y. Asano* 571
An inbred line of transgenic mice expressing an internally deleted gene for type II procollagen (COL2A1). Young mice have a variable phenotype of a chondrodysplasia and older mice have osteoarthritic changes in joints. *H. J. Helminen, K. Kiraly, A. Pelttari, M. I. Tammi, P. Vandenberg, R. Pereira, R. Dhulipala, J. S. Khillan, L. Ala-Kokko, E. L. Hume, B. P. Sokolov, and D. J. Prockop* 582
T lymphocyte ontogeny in adenosine deaminase–deficient severe combined immune deficiency after treatment with polyethylene glycol–modified adenosine deaminase. *K. Weinberg, M. S. Hershfield, J. Bastian, D. Kohn, L. Sender, R. Parkman, and C. Lenarsky* 596
Multiple G-protein–dependent pathways mediate the antisecretory effects of somatostatin and clonidine in the HT29-19A colonic cell line. *G. Warhurst, L. A. Turnberg, N. B. Higgs, A. Tonge, J. Grundy, and K. E. Fogg* . . . 603
β spectrin kissimmee: a spectrin variant associated with autosomal dominant hereditary spherocytosis and defective binding to protein 4.1. *P. S. Becker, W. T. Tse, S. E. Lux, and B. G. Forget* 612
Altered aldose reductase gene regulation in cultured human retinal pigment epithelial cells. *D. N. Henry, M. Del Monte, D. A. Greene, and P. D. Killen* 617
Human neutrophil-mediated fungistasis against *Histoplasma capsulatum*. Localization of fungistatic activity to the azurophil granules. *S. L. Newman, L. Gootee, and J. E. Gabay* 624
Altered expression of small proteoglycans, collagen, and transforming growth factor-β_1 in developing bleomycin-induced pulmonary fibrosis in rats. *G. Westergren-Thorsson, J. Hernnäs, B. Särnstrand, Å. Oldberg, D. Heinegård, and A. Malmström* 632
The effect of oxidized lipids in the diet on serum lipoprotein peroxides in control and diabetic rats. *I. Staprāns, J. H. Rapp, X.-M. Pan, and K. R. Feingold* 638
Influence of grass pollen immunotherapy on cellular infiltration and cytokine mRNA expression during allergen-induced late-phase cutaneous responses. *V. A. Varney, Q. A. Hamid, M. Gaga, S. Ying, M. Jacobson, A. J. Frew, A. B. Kay, and S. R. Durham* 644
Endothelium-mediated coronary blood flow modulation in humans. Effects of age, artherosclerosis, hypercholesterolemia, and hypertension. *A. M. Zeiher, H. Drexler, B. Saurbier, and H. Just* 652
Circulating endothelial giant cells permissive for human cytomegalovirus (HCMV) are detected in disseminated HCMV infections with organ involvement. *E. Percivalle, M. G. Revello, L. Vago, F. Morini, and G. Gerna* . . . 663
Human keratinocytes are a major source of cutaneous platelet-derived growth factor. *J. C. Ansel, J. P. Tiesman, J. E. Olerud, J. G. Krueger, J. F. Krane, D. C. Tara, G. D. Shipley, D. Gilbertson, M. L. Usui, and C. E. Hart* 671
Extracellular proteolysis in the adult murine brain. *A.-P. Sappino, R. Madani, J. Huarte, D. Belin, J. Z. Kiss, A. Wohlwend, and J.-D. Vassalli* 679
Glomerular filtration and tubular reabsorption of albumin in preproteinuric and proteinuric diabetic rats. *B. J. Tucker, R. Rasch, and R. C. Blantz* 686
Suppression of growth hormone (GH) secretion by a selective GH-releasing hormone (GHRH) antagonist. Direct evidence for involvement of endogenous GHRH in the generation of GH pulses. *C. A. Jaffe, R. DeMott Friberg, and A. L. Barkan* 695
Effects of carbonic anhydrase inhibition on ventilation-perfusion matching in the dog lung. *E. R. Swenson, H. T. Robertson, and M. P. Hlastala* 702
A novel superantigen isolated from pathogenic strains of *Streptococcus pyogenes* with aminoterminal homology to staphylococcal enterotoxins B and C. *J. A. Mollick, G. G. Miller, J. M. Musser, R. G. Cook, D. Grossman, and R. R. Rich* 710
Angiotensin II increases glucose utilization during acute hyperinsulinemia via a hemodynamic mechanism. *T. A. Buchanan, H. Thawani, W. Kades, J. G. Modrall, F. A. Weaver, C. Laurel, R. Poppiti, A. Xiang, and W. Hsueh* 720
Parathyroid hormone–like protein is a secretory product of atrial myocytes. *L. J. Deftos, D. W. Burton, and D. W. Brandt* 727
Modulation of cholinergic neural bronchoconstriction by endogenous nitric oxide and vasoactive intestinal peptide in human airways in vitro. *J. K. Ward, M. G. Belvisi, A. J. Fox, M. Miura, S. Tadjkarimi, M. H. Yacoub, and P. J. Barnes* 736
Dietary fatty acids regulate hepatic low density lipoprotein (LDL) transport by altering LDL receptor protein and mRNA levels. *J. D. Horton, J. A. Cuthbert, and D. K. Spady* 743
Macrophage colony-stimulating factor regulates both activities of neutral and acidic cholesteryl ester hydrolases in human monocyte-derived macrophages. *T. Inaba, H. Shimano, T. Gotoda, K. Harada, M. Shimada, M. Kawamura, Y. Yazaki, and N. Yamada* 750
Structural changes underlying compensatory increase of diffusing capacity after left pneumonectomy in adult dogs. *C. C. W. Hsia, F. Fryder-Doffey, V. Stalder-Navarro, R. L. Johnson, Jr., R. C. Reynolds, and E. R. Weibel* . . 758
Prevention and reversal of adoptively transferred, chronic relapsing experimental autoimmune encephalomyelitis with a single high dose cytoreductive treatment followed by syngeneic bone marrow transplantation. *D. M. Karussis, U. Vourka-Karussis, D. Lehmann, H. Ovadia, R. Mizrachi-Koll, A. Ben-Nun, O. Abramsky, and S. Slavin* 765
Coincidence of genetic loci for plasma cholesterol levels and obesity in a multifactorial mouse model. *C. H. Warden, J. S. Fisler, M. J. Pace, K. L. Svenson, and A. J. Lusis* 773
Interleukin-8 and the neutrophil response to mucosal Gram-negative infection. *W. W. Agace, S. R. Hedges, M. Ceska, and C. Svanborg* 780
A molecular map of G protein α chains in microdissected rat nephron segments. *S. I. Senkfor, G. L. Johnson, and T. Berl* 786
Fatty acids are required for epidermal permeability barrier function. *M. Mao-Qiang, P. M. Elias, and K. R. Feingold* 791

Locus heterogeneity of autosomal dominant long QT syndrome. *M. Curran, D. Atkinson, K. Timothy, G. M. Vincent, A. J. Moss, M. Leppert, and M. Keating* 799
P-selectin mediates adhesion of platelets to neuroblastoma and small cell lung cancer. *J. P. Stone and D. D. Wagner* 804
The human 230-kD bullous pemphigoid antigen gene (BPAG1). Exon-intron organization and identification of regulatory tissue specific elements in the promoter region. *K. Tamai, D. Sawamura, H. C. Do, Y. Tamai, K. Li, and J. Uitto* 814
Ryanodine wastes oxygen consumption for Ca^{2+} handling in the dog heart. A new pathological heart model. *T. Takasago, Y. Goto, O. Kawaguchi, K. Hata, A. Saeki, T. Nishioka, and H. Suga* 823
Effects of amino acids on substrate selection, anaplerosis, and left ventricular function in the ischemic reperfused rat heart. *M. E. Jessen, T. E. Kovarik, F. M. Jeffrey, A. D. Sherry, C. J. Storey, R. Y. Chao, W. S. Ring, and C. R. Malloy* 831
V3-specific neutralizing antibodies in sera from HIV-1 gp160–immunized volunteers block virus fusion and act synergistically with human monoclonal antibody to the conformation-dependent CD4 binding site of gp120. *D. C. Montefiori, B. S. Graham, J. Zhou, J. Zhou, R. A. Bucco, D. H. Schwartz, L. A. Cavacini, and M. R. Posner, and the NIH-NIAID AIDS Vaccine Clinical Trials Network* 840
Oncostatin-M stimulates tyrosine protein phosphorylation in parallel with the activation of $p42^{MAPK}$/ERK-2 in Kaposi's cells. Evidence that this pathway is important in Kaposi cell growth. *M. C. Amaral, S. Miles, G. Kumar, and A. E. Nel* 848
Na^+/H^+ exchange in human lymphocytes and platelets in chronic and subacute metabolic acidosis. *H. P. Reusch, R. Reusch, D. Rosskopf, W. Siffert, J. F. E. Mann, and F. C. Luft* 858
Deficiency of dystrophin-associated proteins in Duchenne muscular dystrophy patients lacking COOH-terminal domains of dystrophin. *K. Matsumura, F. M. S. Tomé, V. Ionasescu, J. M. Ervasti, R. D. Anderson, N. B. Romero, D. Simon, D. Récan, J.-C. Kaplan, M. Fardeau, and K. P. Campbell* 866
Small elevations of glucose concentration redirect and amplify the synthesis of guanosine 5'-triphosphate in rat islets. *S. A. Metz, M. Meredith, M. E. Rabaglia, and A. Kowluru* 872
Hypercholesterolemia in low density lipoprotein receptor knockout mice and its reversal by adenovirus-mediated gene delivery. *S. Ishibashi, M. S. Brown, J. L. Goldstein, R. D. Gerard, R. E. Hammer, and J. Herz* 883
Dominant negative mutations of the scavenger receptor. Native receptor inactivation by expression of truncated variants. *S. Dejager, M. Mietus-Snyder, A. Friera, and R. E. Pitas* 894
Tissue distribution and ontogeny of steroid 5α-reductase isozyme expression. *A. E. Thigpen, R. I. Silver, J. M. Guileyardo, M. L. Casey, J. D. McConnell, and D. W. Russell* 903
Effects of lovastatin and dietary cholesterol on sterol homeostasis in healthy human subjects. *W. C. Duane* . . 911
Induction of humoral and cell-mediated anti-human immunodeficiency virus (HIV) responses in HIV sero-negative volunteers by immunization with recombinant gp160. *J. A. Kovacs, M. B. Vasudevachari, M. Easter, R. T. Davey, J. Falloon, M. A. Polis, J. A. Metcalf, N. Salzman, M. Baseler, G. E. Smith, F. Volvovitz, H. Masur, and H. C. Lane* 919
Glomerular permeability barrier in the rat. Functional assessment by in vitro methods. *B. S. Daniels, W. M. Deen, G. Mayer, T. Meyer, and T. H. Hostetter* 929
39-kD protein inhibits tissue-type plasminogen activator clearance in vivo. *I. Warshawsky, G. Bu, and A. L. Schwartz* 937
Vascular cell adhesion molecule-1 is expressed in human coronary atherosclerotic plaques. Implications for the mode of progression of advanced coronary atherosclerosis. *K. D. O'Brien, M. D. Allen, T. O. McDonald, A. Chait, J. M. Harlan, D. Fishbein, J. McCarty, M. Ferguson, K. Hudkins, C. D. Benjamin, R. Lobb, and C. E. Alpers* 945
Glycosylation-dependent cell adhesion molecule 1 (GlyCAM 1) mucin is expressed by lactating mammary gland epithelial cells and is present in milk. *D. Dowbenko, A. Kikuta, C. Fennie, N. Gillett, and L. A. Lasky* 952
Immunoreactive corticotropin-releasing hormone and its binding sites in the rat ovary. *G. Mastorakos, E. L. Webster, T. C. Friedman, and G. P. Chrousos* . . 961
Keratinocyte growth factor and hepatocyte growth factor/scatter factor are heparin-binding growth factors for alveolar type II cells in fibroblast-conditioned medium. *R. J. Panos, J. S. Rubin, S. A. Aaronson, and R. J. Mason* 969
The autoimmune blistering skin disease bullous pemphigoid. The presence of plasmin/α_2-antiplasmin complexes in skin blister fluid indicates plasmin generation in lesional skin. *M. D. Kramer and J. Reinartz* 978
Immunochemical and molecular characterization of anti-RNA polymerase I autoantibodies produced by tight skin mouse. *S. Shibata, T. Muryoi, Y. Saitoh, T.-D. Brumeanu, C. A. Bona, and K. N. Kasturi* 984
Bioenergetic abnormalities associated with severe left ventricular hypertrophy. *J. Zhang, H. Merkle, K. Hendrich, M. Garwood, A. H. L. From, K. Ugurbil, and R. J. Bache* 993
Oxidatively modified low density lipoprotein is a chemoattractant for human T lymphocytes. *H. F. McMurray, S. Parthasarathy, and D. Steinberg* . . 1004
Rapid in vivo transport and catabolism of human apoliproprotein A-IV-1 and slower catabolism of the ApoA-IV-2 isoprotein. *D. J. Rader, J. Schäfer, P. Lohse, B. Verges, M. Kindt, L. A. Zech, A. Steinmetz, and H. B. Brewer, Jr.* 1009
Identification of the fetal liver cytochrome CYP3A7 in human endometrium and placenta. *J. D. Schuetz, S. Kauma, and P. S. Guzelian* 1018
Demonstration of free radical generation in the "stunned" myocardium in the conscious dog and identification of major differences between conscious and open-chest dogs. *X.-Y. Li, P. B. McCay, M. Zughaib, M. O. Jeroudi, J. F. Triana, and R. Bolli* 1025
Secretory protein traffic. Chromogranin A contains a dominant targeting signal for the regulated pathway. *R. J. Parmer, X.-P. Xi, H.-J. Wu, L. J. Helman, and L. N. Petz* 1042
T helper cell recognition of muscle acetylcholine receptor in myasthenia gravis. Epitopes on the γ and δ subunits. *A. A. Manfredi, M. P. Protti, M. W. M. Dalton, J. F. Howard, Jr., and B. M. Conti-Tronconi* 1055
A circulating substance cross-reacting with antiimidazoline antibodies. Detection in serum in relation to essential hypertension. *M. Dontenwill, A. Molines, A. Verdun, G. Bricca, S. Laurent, and P. Bousquet* . . . 1068
Altered renal kallikrein and renin gene expression in nephrotic rats and modulation by converting enzyme inhibition. *F. N. Hutchison, S. K. Webster, and A. A. Jaffa* 1073

Rapid Publications

Ulcerative colitis: a genetically heterogeneous disorder defined by genetic (HLA class II) and subclinical (antineutrophil cytoplasmic antibodies) markers. *H. Yang, J. I. Rotter, H. Toyoda, C. Landers, D. Tyan, C. K. McElree, and S. R. Targan* 1080
Adenoviral-mediated gene transfer to rabbit synovium in vivo. *B. J. Roessler, E. D. Allen, J. M. Wilson, J. W. Hartman, and B. L. Davidson* 1085
Evidence for the role of nitric oxide in macula densa control of glomerular hemodynamics. *S. Ito and Y. Ren* 1093
A gene differentially expressed in the kidney of the spontaneously hypertensive rat cosegregates with increased blood pressure. *N. J. Samani, D. Lodwick, M. Vincent, C. Dubay, M. A. Kaiser, M. P. Kelly, M. Lo, J. Harris, J. Sassard, M. Lathrop, and J. D. Swales* . . . 1099
Identification of a human-specific epitope in a conserved region of the La/SS-B autoantigen. *Y. M. Weng, J. McNeilage, F. Topfer, J. McCluskey, and T. Gordon* 1104
Correction 1109
August Author Index 1111

Endothelium-mediated coronary blood flow modulation in humans. Effects of age, artherosclerosis, hypercholesterolemia, and hypertension. *A. M. Zeiher, H. Drexler, B. Saurbier, and H. Just* 652

Dietary fatty acids regulate hepatic low density lipoprotein (LDL) transport by altering LDL receptor protein and mRNA levels. *J. D. Horton, J. A. Cuthbert, and D. K. Spady* 743

Macrophage colony-stimulating factor regulates both activities of neutral and acidic cholesteryl ester hydrolases in human monocyte-derived macrophages. *T. Inaba, H. Shimano, T. Gotoda, K. Harada, M. Shimada, M. Kawamura, Y. Yazaki, and N. Yamada* 750

Fatty acids are required for epidermal permeability barrier function. *M. Mao-Qiang, P. M. Elias, and K. R. Feingold* 791

P-selectin mediates adhesion of platelets to neuroblastoma and small cell lung cancer. *J. P. Stone and D. D. Wagner* 804

Effects of amino acids on substrate selection, anaplerosis, and left ventricular function in the ischemic reperfused rat heart. *M. E. Jessen, T. E. Kovarik, F. M. Jeffrey, A. D. Sherry, C. J. Storey, R. Y. Chao, W. S. Ring, and C. R. Malloy* 831

Dominant negative mutations of the scavenger receptor. Native receptor inactivation by expression of truncated variants. *S. Dejager, M. Mietus-Snyder, A. Friera, and R. E. Pitas* 894

Effects of lovastatin and dietary cholesterol on sterol homeostasis in healthy human subjects. *W. C. Duane* . . 911

39-kD protein inhibits tissue-type plasminogen activator clearance in vivo. *I. Warshawsky, G. Bu, and A. L. Schwartz* 937

Vascular cell adhesion molecule-1 is expressed in human coronary atherosclerotic plaques. Implications for the mode of progression of advanced coronary atherosclerosis. *K. D. O'Brien, M. D. Allen, T. O. McDonald, A. Chait, J. M. Harlan, D. Fishbein, J. McCarty, M. Ferguson, K. Hudkins, C. D. Benjamin, R. Lobb, and C. E. Alpers* 945

Oxidatively modified low density lipoprotein is a chemoattractant for human T lymphocytes. *H. F. McMurray, S. Parthasarathy, and D. Steinberg* . . 1004

Rapid in vivo transport and catabolism of human apolipoprotein A-IV-1 and slower catabolism of the ApoA-IV-2 isoprotein. *D. J. Rader, J. Schäfer, P. Lohse, B. Verges, M. Kindt, L. A. Zech, A. Steinmetz, and H. B. Brewer, Jr.* 1009

Correction 1109

August Author Index 1111

‡ Rapid Publication

Contents

The Journal of Clinical Investigation
September 1993, Volume 92, Number 3

Editorials

Islet growth factors: curing diabetes and preventing chronic pancreatitis? *M. Korc* 1113

Can a few good cells now mend a broken heart? *L. Kedes, R. A. Kloner, and V. A. Starnes* 1115

Intimin and the intimate attachment of bacteria to human cells. *G. K. Schoolnik* 1117

Perspectives

Abnormalities in G protein–coupled signal transduction pathways in human disease. *A. M. Spiegel, L. S. Weinstein, and A. Shenker* 1119

Regular Articles

Mechanism by which hyperglycemia inhibits hepatic glucose production in conscious rats. Implications for the pathophysiology of fasting hyperglycemia in diabetes. *L. Rossetti, A. Giaccari, N. Barzilai, K. Howard, G. Sebel, and M. Hu* 1126

Impaired interferon production and natural killer cell activation in patients with the skin cancer–prone disorder, xeroderma pigmentosum. *A. A. Gaspari, T. A. Fleisher, and K. H. Kraemer* 1135

Hypertriglyceridemia and cholesteryl ester transfer protein interact to dramatically alter high density lipoprotein levels, particle sizes, and metabolism. Studies in transgenic mice. *T. Hayek, N. Azrolan, R. B. Verdery, A. Walsh, T. Chajek-Shaul, L. B. Agellon, A. R. Tall, and J. L. Breslow* 1143

Human neuroblastoma cells express α and β platelet-derived growth factor receptors coupling with neurotrophic and chemotactic signaling. *T. Matsui, K. Sano, T. Tsukamoto, M. Ito, T. Takaishi, H. Nakata, H. Nakamura, and K. Chihara* 1153

Insulin attenuates agonist-mediated calcium mobilization in cultured rat vascular smooth muscle cells. *F. Saito, M. T. Hori, M. Fittingoff, T. Hino, and M. L. Tuck* 1161

CD18-independent neutrophil and mononuclear leukocyte emigration into the peritoneum of rabbits. *R. K. Winn and J. M. Harlan* 1168

Deletion of the donor splice site of intron 4 in the glucokinase gene causes maturity-onset diabetes of the young. *F. Sun, B. Knebelmann, M. E. Pueyo, H. Zouali, S. Lesage, M. Vaxillaire, P. Passa, D. Cohen, G. Velho, C. Antignac, and P. Froguel* 1174

Defect of a complement receptor 3 epitope in a patient with systemic lupus erythematosus. *T. Witte, F.-L. Dumoulin, J. E. Gessner, J. Schubert, O. Götze, C. Neumann, R. F. Todd III, H. Deicher, and R. E. Schmidt* 1181

Thiol-disulfide effects on hepatic glutathione transport. Studies in cultured rat hepatocytes and perfused livers. *S. C. Lu, J.-L. Ge, H.-Y. Huang, J. Kuhlenkamp, and N. Kaplowitz* 1188

The effect of histamine and cyclic adenosine monophosphate on myosin light chain phosphorylation in human umbilical vein endothelial cells. *A. B. Moy, S. S. Shasby, B. D. Scott, and D. M. Shasby* 1198

The activation of Factor X and prothrombin by recombinant Factor VIIa in vivo is mediated by tissue factor. *H. ten Cate, K. A. Bauer, M. Levi, T. S. Edgington, R. D. Sublett, S. Barzegar, B. L. Kass, and R. D. Rosenberg* 1207

Point mutation in a leucine-rich repeat of platelet glycoprotein Ibα resulting in the Bernard-Soulier syndrome. *J. Ware, S. R. Russell, T. Marchese, M. Murata, M. Mazzucato, L. De Marco, and Z. M. Ruggeri* 1213

Pseudomonas aeruginosa–induced lung and pleural injury in sheep. Differential protective effect of circulating versus alveolar immunoglobulin G antibody. *J. F. Pittet, M. A. Matthay, G. Pier, M. Grady, and J. P. Wiener-Kronish* 1221

Evidence for conductive Cl^- Pathway in the basolateral membrane of rabbit renal proximal tubule S3 segment. *G. Seki, S. Taniguchi, S. Uwatoko, K. Suzuki, and K. Kurokawa* 1229

Total and resting energy expenditure in obese women reduced to ideal body weight. *J. M. Amatruda, M. C. Statt, and S. L. Welle* 1236

β_2-Microglobulin modified with advanced glycation end products is a major component of hemodialysis-associated amyloidosis. *T. Miyata, O. Oda, R. Inagi, Y. Iida, N. Araki, N. Yamada, S. Horiuchi, N. Taniguchi, K. Maeda, and T. Kinoshita* 1243

Intravenous infusion of tridocosahexaenoyl-glycerol emulsion into rabbits. Effects on leukotriene $B_{4/5}$ production and fatty acid composition of plasma and leukocytes. *N. Nakamura, T. Hamazaki, K. Yamazaki, H. Taki, M. Kobayashi, K. Yazawa, and F. Ibuki* . . . 1253

X-linked nephrogenic diabetes insipidus mutations in North America and the Hopewell hypothesis. *D. G. Bichet, M.-F. Arthus, M. Lonergan, G. N. Hendy, A. J. Paradis, T. M. Fujiwara, K. Morgan, M. C. Gregory, W. Rosenthal, A. Didwania, A. Antaramian, and M. Birnbaumer* . . . 1262

Regulation of human aortic endothelial cell-derived mesenchymal growth factors by allogeneic lymphocytes in vitro. A potential mechanism for cardiac allograft vasculopathy. *C. R. Wagner, T. E. Morris, G. D. Shipley, and J. D. Hosenpud* 1269

Rat lung contains a developmentally regulated manganese superoxide dismutase mRNA-binding protein. *H. Fazzone, A. Wangner, and L. B. Clerch* 1278

Activated B cells from patients with common variable immunodeficiency proliferate and synthesize immunoglobulin. *S. Nonoyama, M. Farrington, H. Ishida, M. Howard, and H. D. Ochs* 1282

Identification of unique nuclear regulatory proteins for the insulin receptor gene, which appear during myocyte and adipocyte differentiation. *A. Brunetti, D. Foti, and I. D. Goldfine* 1288

The HLA-DR and DQ genes control the autoimmune response to DNA topoisomerase I in systemic sclerosis (scleroderma). *M. Kuwana, J. Kaburaki, Y. Okano, H. Inoko, and K. Tsuji* 1296

Analysis of human antitopoisomerase-I idiotypes. *D. Vazquez-Abad, V. Pascual, M. Zanetti, and N. F. Rothfield* 1302

Effect of secretin on intracellular pH regulation in isolated rat bile duct epithelial cells. *D. Alvaro, W. K. Cho, A. Mennone, and J. L. Boyer* . . 1314

Activation of the alternative complement pathway by exposure of phosphatidylethanolamine and phosphatidylserine on erythrocytes from sickle cell disease patients. *R. H. Wang, G. Phillips, Jr., M. E. Medof, and C. Mold* 1326

Identification of c-*fos*–responsive elements downstream of TAR in the long terminal repeat of human immunodeficiency virus type-1. *K. A. Roebuck, D. A. Brenner, and M. F. Kagnoff* 1336

Pancreatic gastrin stimulates islet differentiation of transforming growth factor α–induced ductular precursor cells. *T. C. Wang, S. Bonner-Weir, P. S. Oates, M. Chulak, B. Simon, G. T. Merlino, E. V. Schmidt, and S. J. Brand* 1349

Downregulation of human platelet reactivity by neutrophils. Participation of lipoxygenase derivatives and adhesive proteins. *J. Valles, M. T. Santos, A. J. Marcus, L. B. Safier, M. J. Broekman, N. Islam, H. L. Ullman, and J. Aznar* 1357

Angiotensin II–induced hypertrophy of cultured murine proximal tubular cells is mediated by endogenous transforming growth factor-β. *G. Wolf, E. Mueller, R. A. K. Stahl, and F. N. Ziyadeh* 1366

Presence of IgE antibodies to staphylococcal exotoxins on the skin of patients with atopic dermatitis. Evidence for a new group of allergens. *D. Y. M. Leung, R. Harbeck, P. Bina, R. F. Reiser, E. Yang, D. A. Norris, J. M. Hanifin, and H. A. Sampson* 1374

Homocysteine, a thrombogenic agent, suppresses anticoagulant heparan sulfate expression in cultured porcine aortic endothelial cells. *M. Nishinaga, T. Ozawa, and K. Shimada* 1381

The cytokeratin filament-aggregating protein filaggrin is the target of the so-called "antikeratin antibodies," autoantibodies specific for rheumatoid arthritis. *M. Simon, E. Girbal, M. Sebbag, V. Gomès-Daudrix, C. Vincent, G. Salama, and G. Serre* 1387

Prevalence of autoantibodies to the 65- and 67-kD isoforms of glutamate decarboxylase in insulin-dependent diabetes mellitus. *J. Seissler, J. Amann, L. Mauch, H. Haubruck, S. Wolfahrt, S. Bieg, W. Richter, R. Holl, E. Heinze, W. Northemann, and W. A. Scherbaum* 1394

Abnormally high thromboxane biosynthesis in homozygous homocystinuria. Evidence for platelet involvement and probucol-sensitive mechanism. *G. Di Minno, G. Davì, M. Margaglione, F. Cirillo, E. Grandone, G. Ciabattoni, I. Catalano, P. Strisciuglio, G. Andria, C. Patrono, and M. Mancini* 1400

Aminoguanidine treatment increases elasticity and decreases fluid filtration of large arteries from diabetic rats. *M. S. P. Huijberts, B. H. R. Wolffenbuttel, H. A. J. S. Boudier, F. R. L. Crijns, A. C. N. Kruseman, P. Poitevin, and B. I. Lévy* 1407

Role of the *eaeA* gene in experimental enteropathogenic *Escherichia coli* infection. *M. S. Donnenberg, C. O. Tacket, S. P. James, G. Losonsky, J. P. Nataro, S. S. Wasserman, J. B. Kaper, and M. M. Levine* 1412

The role of the *eae* gene of enterohemorrhagic *Escherichia coli* in intimate attachment in vitro and in a porcine model. *M. S. Donnenberg, S. Tzipori, M. L. McKee, A. D. O'Brien, J. Alroy, and J. B. Kaper* . . . 1418

Expression of integrins and basement membrane components by wound keratinocytes. *H. Larjava, T. Salo, K. Haapasalmi, R. H. Kramer, and J. Heino* 1425

Decreased 1,25-dihydroxyvitamin D_3 receptor density is associated with a more severe form of parathyroid hyperplasia in chronic uremic patients. *N. Fukuda, H. Tanaka, Y. Tominaga, M. Fukagawa, K. Kurokawa, and Y. Seino* 1436

Epstein-Barr virus–infected T lymphocytes in Epstein-Barr virus–associated hemophagocytic syndrome. *H. Kawaguchi, T. Miyashita, H. Herbst, G. Niedobitek, M. Asada, M. Tsuchida, R. Hanada, A. Kinoshita, M. Sakurai, N. Kobayashi, and S. Mizutani* 1444

Differential expression of complement C3 and C4 in the human kidney. *T. R. Welch, L. S. Beischel, and D. P. Witte* 1451

Nicotinamide is a potent inducer of endocrine differentiation in cultured human fetal pancreatic cells. *T. Otonkoski, G. M. Beattie, M. I. Mally, C. Ricordi, and A. Hayek* 1459

Subcellular localization and dynamics of Mac-1 ($\alpha_m\beta_2$) in human neutrophils. *H. Sengeløv, L. Kjeldsen, M. S. Diamond, T. A. Springer, and N. Borregaard* 1467

Depletion of OX-8 lymphocytes from the blood and airways using monoclonal antibodies enhances the late airway response in rats. *R. Olivenstein, P. M. Renzi, J. P. Yang, P. Rossi, S. Laberge, S. Waserman, and J. G. Martin* 1477

Vasodilatory effect of arginine vasopressin is mediated by nitric oxide in human forearm vessels. *T. Tagawa, T. Imaizumi, T. Endo, M. Shiramoto, Y. Hirooka, S. Ando, and A. Takeshita* 1483

Activin A: An autocrine inhibitor of initiation of DNA synthesis in rat hepatocytes. *H. Yasuda, T. Mine, H. Shibata, Y. Eto, Y. Hasegawa, T. Takeuchi, S. Asano, and I. Kojima* 1491

Type III hyperlipoproteinemic phenotype in transgenic mice expressing dysfunctional apolipoprotein E. *S. Fazio, Y.-L. Lee, Z.-S. Ji, and S. C. Rall, Jr.* 1497

Regulation of intercellular adhesion molecule-1 (ICAM-1) in ischemic and reperfused canine myocardium. *G. L. Kukielka, H. K. Hawkins, L. Michael, A. M. Manning, K. Youker, C. Lane, M. L. Entman, C. W. Smith, and D. C. Anderson* 1504

Physiological and genetic analyses of inbred mouse strains with a type I iodothyronine 5′ deiodinase deficiency. *M. J. Berry, D. Grieco, B. A. Taylor, A. L. Maia, J. D. Kieffer, W. Beamer, E. Glover, A. Poland, and P. R. Larsen* 1517

Genotype dependence of hepatitis C virus antibodies detectable by the first-generation enzyme-linked immunosorbent assay with C100-3 protein. *R. Nagayama, F. Tsuda, H. Okamoto, Y. Wang, T. Mitsui, T. Tanaka, Y. Miyakawa, and M. Mayumi* 1529

Triamcinolone and prednisolone affect contractile properties and histopathology of rat diaphragm differently. *P. N. R. Dekhuijzen, G. Gayan-Ramirez, V. de Bock, R. Dom, and M. Decramer* 1534

Rapid Publications

The adipsin-acylation stimulating protein system and regulation of intracellular triglyceride synthesis. *A. Baldo, A. D. Sniderman, S. St-Luce, R. K. Avramoglu, M. Maslowska, B. Hoang, J. C. Monge, A. Bell, S. Mulay, and K. Cianflone* 1543

Differentiation and long-term survival of C2C12 myoblast grafts in heart. *G. Y. Koh, M. G. Klug, M. H. Soonpaa, and L. J. Field* 1548

Low shear stress can initiate von Willebrand factor-dependent platelet aggregation in patients with type IIB and platelet-type von Willebrand disease. *M. Murata, M. Fukuyama, K. Satoh, Y. Fujimura, A. Yoshioka, H. Takahashi, M. Handa, Y. Kawai, K. Watanabe, and Y. Ikeda* . . . 1555

Activation of phosphatidylinositol-3 kinase by ligation of the interleukin-7 receptor on human thymocytes. *H. K. Dadi and C. M. Roifman* 1559

Oxygen radicals as second messengers for expression of the monocyte chemoattractant protein, JE/MCP-1, and the monocyte colony-stimulating factor, CSF-1, in response to tumor necrosis factor-α and immunoglobulin G. Evidence for involvement of reduced nicotinamide adenine dinucleotide phosphate (NADPH)-dependent oxidase. *J. A. Satriano, M. Schuldiner, K. Hora, Y. Xing, Z. Shan, and D. Schlondorff* 1564

Human alveolar macrophages have 15-lipoxygenase and generate 15(S)-hydroxy-5,8,11-*cis*-13-*trans*-eicosatetraenoic acid and lipoxins. *B. D. Levy, M. Romano, H. A. Chapman, J. J. Reilly, J. Drazen, and C. N. Serhan* 1572

Efficient adenoviral-mediated ornithine transcarbamylase expression in deficient mouse and human hepatocytes. *M. A. Morsy, E. L. Alford, A. Bett, F. L. Graham, and C. T. Caskey* 1580

Interaction of nitric oxide and cyclic guanosine 3′,5′-monophosphate in erythropoietin production. *T. Ohigashi, J. Brookins, and J. W. Fisher* 1587

Addendum 1593

September Author Index 1595

Contents

The Journal of Clinical Investigation
October 1993, Volume 92, Number 4

Presidential Address

Presidential address to the American Society for Clinical Investigation, Washington, DC, 2 May 1993. Nurturing creativity: young turks and young minds. *B. F. Scharschmidt* 1597

Editorials

Colchicine, crystals, and neutrophil tyrosine phosphorylation. *J. I. Smallwood and S. E. Malawista* 1602

Aquaporin: a wee burn runs through it. *J. F. Hoffman* 1604

Designer natriuretic peptides. *D. G. Gardner* 1606

Perspectives

Islet cell autoantigens in insulin-dependent diabetes. *M. A. Atkinson and N. K. Maclaren* 1608

Regular Articles

Demonstration of a critical role for free fatty acids in mediating counterregulatory stimulation of gluconeogenesis and suppression of glucose utilization in humans. *C. Fanelli, S. Calderone, L. Epifano, A. De Vincenzo, F. Modarelli, S. Pampanelli, G. Perriello, P. De Feo, P. Brunetti, J. E. Gerich, and G. B. Bolli* 1617

Mechanism of enhanced insulin sensitivity in athletes. Increased blood flow, muscle glucose transport protein (GLUT-4) concentration, and glycogen synthase activity. *P. Ebeling, R. Bourey, L. Koranyi, J. A. Tuominen, L. C. Groop, J. Henriksson, M. Mueckler, A. Sovijärvi, and V. A. Koivisto* 1623

Cyclic adenosine monophosphate acutely inhibits and chronically stimulates Na/H antiporter in OKP cells. *A. Cano, P. Preisig, and R. J. Alpern* 1632

Effects of chronic treatment with the c-*kit* ligand, stem cell factor, on immunoglobulin E–dependent anaphylaxis in mice. Genetically mast cell–deficient *Sl/Sl*^{d} mice acquire anaphylactic responsiveness, but the congenic normal mice do not exhibit augmented responses. *A. Ando, T. R. Martin, and S. J. Galli* 1639

Delayed catabolism of high density lipoprotein apolipoproteins A-I and A-II in human cholesteryl ester transfer protein deficiency. *K. Ikewaki, D. J. Rader, T. Sakamoto, M. Nishiwaki, N. Wakimoto, J. R. Schaefer, T. Ishikawa, T. Fairwell, L. A. Zech, H. Nakamura, M. Nagano, and H. B. Brewer, Jr.* 1650

Shaker-related potassium channel, Kv1.4, mRNA regulation in cultured rat heart myocytes and differential expression of Kv1.4 and Kv1.5 genes in myocardial development and hypertrophy. *H. Matsubara, J. Suzuki, and M. Inada* 1659

Cytokine control of parasite-specific anergy in human lymphatic filariasis. Preferential induction of a regulatory T helper type 2 lymphocyte subset. *C. L. King, S. Mahanty, V. Kumaraswami, J. S. Abrams, J. Regunathan, K. Jayaraman, E. A. Ottesen, and T. B. Nutman* 1667

Cultured human liver fat-storing cells produce monocyte chemotactic protein-1. Regulation by proinflammatory cytokines. *F. Marra, A. J. Valente, M. Pinzani, and H. E. Abboud* 1674

Definition of immunoglobulin A receptors on eosinophils and their enhanced expresssion in allergic individuals. *R. C. Monteiro, R. W. Hostoffer, M. D. Cooper, J. R. Bonner, G. L. Gartland, and H. Kubagawa* 1681

Osteopontin is elevated during neointima formation in rat arteries and is a novel component of human atherosclerotic plaques. *C. M. Giachelli, N. Bae, M. Almeida, D. T. Denhardt, C. E. Alpers, and S. M. Schwartz* 1686

A murine skeletal adaptation that significantly increases cortical bone mechanical properties. Implications for human skeletal fragility. *J. Bonadio, K. J. Jepsen, M. K. Mansoura, R. Jaenisch, J. L. Kuhn, and S. A. Goldstein* 1697

Disruption of cytoskeletal structures mediates shear stress–induced endothelin-1 gene expression in cultured porcine aortic endothelial cells. *T. Morita, H. Kurihara, K. Maemura, M. Yoshizumi, and Y. Yazaki* 1706

The effect of systemic venous drainage of the pancreas on insulin sensitivity in dogs. *J. Radziuk, P. Barron, H. Najm, and J. Davies* . . 1713

Crystal-induced neutrophil activation. IV. Specific inhibition of tyrosine phosphorylation by colchicine. *C. J. Roberge, M. Gaudry, R. de Médicis, A. Lussier, P. E. Poubelle, and P. H. Naccache* . . . 1722

Reduced sympathetic nervous activity. A potential mechanism predisposing to body weight gain. *M. Spraul, E. Ravussin, A. M. Fontvieille, R. Rising, D. E. Larson, and E. A. Anderson* . . . 1730

Identification of mutations in the coding sequence of the proto-oncogene c-*kit* in a human mast cell leukemia cell line causing ligand-independent activation of c-*kit* product. *T. Furitsu, T. Tsujimura, T. Tono, H. Ikeda, H. Kitayama, U. Koshimizu, H. Sugahara, J. H. Butterfield, L. K. Ashman, Y. Kanayama, Y. Matsuzawa, Y. Kitamura, and Y. Kanakura* 1736

Human monocyte colony-stimulating factor stimulates the gene expression of monocyte chemotactic protein-1 and increases the adhesion of monocytes to endothelial monolayers. *Y.-J. Shyy, L. L. Wickham, J. P. Hagan, H.-J. Hsieh, Y.-L. Hu, S. H. Telian, A. J. Valente, K-L. P. Sung, and S. Chien* 1745

Intravenous glucose suppresses glucose production but not proteolysis in extremely premature newborns. *D. E. Hertz, C. A. Karn, Y. M. Liu, E. A. Liechty, and S. C. Denne* 1752

Expression of lipoprotein lipase mRNA and secretion in macrophages isolated from human atherosclerotic aorta. *L. Mattsson, H. Johansson, M. Ottosson, G. Bondjers, and O. Wiklund* 1759

Altered regulation of apolipoprotein A-IV gene expression in the liver of the genetically obese Zucker rat. *W. Strobl, B. Knerer, R. Gratzl, K. Arbeiter, Y.-c. Lin-Lee, and W. Patsch* 1766

Expression of muscle-type phosphorylase in innervated and aneural cultured muscle of patients with myophosphorylase deficiency. *A. Martinuzzi, L. Vergani, R. Carrozzo, M. Fanin, L. Bartoloni, C. Angelini, V. Askanas, and W. K. Engel* 1774

CAMP-mediated inhibition of the renal brush border membrane Na^{+}-H^{+} exchanger requires a dissociable phosphoprotein cofactor. *E. J. Weinman, D. Steplock, and S. Shenolikar* 1781

Regulation of phosphatidylinositol 3-kinase activity in liver and muscle of animal models of insulin-resistant and insulin-deficient diabetes mellitus. *F. Folli, M. J. A. Saad, J. M. Backer, and C. R. Kahn* . . . 1787

Activation-dependent contractility of rat hepatic lipocytes in culture and in vivo. *D. C. Rockey, C. N. Housset, and S. L. Friedman* . . . 1795

Distinct nuclear proteins competing for an overlapping sequence of cyclic adenosine monophosphate and negative-regulatory elements regulate tissue-specific mouse renin gene expression. *M. Horiuchi, R. E. Pratt, N. Nakamura, and V. J. Dzau* 1805

Regulation of alveolar macrophage transforming growth factor-β secretion by corticosteroids in bleomycin-induced pulmonary inflammation in the rat. *N. Khalil, C. Whitman, L. Zuo, D. Danielpour, and A. Greenberg* 1812

Effects of psychosocial stress on endothelium-mediated dilation of atherosclerotic arteries in cynomolgus monkeys. *J. K. Williams, J. R. Kaplan, and S. B. Manuck* 1819

Saturable transport of insulin from plasma into the central nervous system of dogs in vivo. A mechanism for regulated insulin delivery to the brain. *G. D. Baura, D. M. Foster, D. Porte, Jr., S. E. Kahn, R. N. Bergman, C. Cobelli, and M. W. Schwartz* 1824

Epitope mapping of type VII collagen. Identification of discrete peptide sequences recognized by sera from patients with acquired epidermolysis bullosa. *J.-C. Lapiere, D. T. Woodley, M. G. Parente, T. Iwasaki, K. C. Wynn, A. M. Christiano, and J. Uitto* 1831

Distinct mechanisms of epithelial adhesion for *Candida albicans* and *Candida tropicalis*. Identification of the participating ligands and development of inhibitory peptides. *C. M. Bendel and M. K. Hostetter* 1840

Upregulation of fibronectin synthesis by interleukin-1β in coronary artery smooth muscle cells is associated with the development of the post-cardiac transplant arteriopathy in piglets. *N. Clausell and M. Rabinovitch* 1850

Arginine feeding modifies cyclosporine nephrotoxicity in rats. *L. De Nicola, S. C. Thomson, L. M. Wead, M. R. Brown, and F. B. Gabbai* 1859

Vascular cell adhesion molecule-1 (VCAM-1) gene transcription and expression are regulated through an antioxidant-sensitive mechanism in human vascular endothelial cells. *N. Marui, M. K. Offermann, R. Swerlick, C. Kunsch, C. A. Rosen, M. Ahmad, R. W. Alexander, and R. M. Medford* 1866

Pseudomonas aeruginosa pili band to AsialoGM1 which is increased on the surface of cystic fibrosis epithelial cells. *L. Saiman and A. Prince* 1875

Cellular heterogeneity of ammonium ion transport across the basolateral membrane of the hamster medullary thick ascending limb of Henle's Loop. *S. Tsuruoka, M. Takeda, K. Yoshitomi, and M. Imai* 1881

Regulation of Na,K-adenosine triphosphatase gene expression by sodium ions in cultured neonatal rat cardiocytes. *K. Yamamoto, U. Ikeda, Y. Seino, Y. Tsuruya, A. Oguchi, K. Okada, S. Ishikawa, T. Saito, K. Kawakami, Y. Hara, and K. Shimada* 1889

Evidence of direct estrogenic regulation of human corticotropin-releasing hormone gene expression. Potential implications for the sexual dimorphism of the stress response and immune/inflammatory reaction. *N. C. Vamvakopoulos and G. P. Chrousos* 1896

Comparison of the effects of recombinant human insulin-like growth factor-I and insulin on glucose and leucine kinetics in humans. *R. Laager, R. Ninnis, and U. Keller* 1903

Enhanced stimulus–secretion coupling in polyamine-depleted rat insulinoma cells. An effect involving increased cytoplasmic Ca^{2+}, inositol phosphate generation, and phorbol ester sensitivity. *Å. Sjöholm, P. Arkhammar, N. Welsh, K. Bokvist, P. Rorsman, A. Hallberg, T. Nilsson, M. Welsh, and P.-O. Berggren* 1910

Antitumor effects of interleukin-7 and adoptive immunotherapy on human colon carcinoma xenografts. *W. J. Murphy, T. C. Back, K. C. Conlon, K. L. Komschlies, J. R. Ortaldo, T. J. Sayers, R. H. Wiltrout, and D. L. Longo* 1918

Subcellular localization of Bcr, Abl, and Bcr-Abl proteins in normal and leukemic cells and correlation of expression with myeloid differentiation. *M. Wetzler, M. Talpaz, R. A. Van Etten, C. Hirsh-Ginsberg, M. Beran, and R. Kurzrock* 1925

Exogenous adenosine triphosphate (ATP) preserves proximal tubule microfilament structure and function in vivo in a maleic acid model of ATP depletion. *P. S. Kellerman* 1940

GLUT-2 function in glucose-unresponsive β cells of dexamethasone-induced diabetes in rats. *M. Ohneda, J. H. Johnson, L. R. Inman, and R. H. Unger* 1950

Infection of human synovial cells by human T cell lymphotropic virus type I. Proliferation and granulocyte/macrophage colony-stimulating factor production by synovial cells. *M. Sakai, K. Eguchi, K. Terada, M. Nakashima, I. Yamashita, H. Ida, Y. Kawabe, T. Aoyagi, H. Takino, T. Nakamura, and S. Nagataki* 1957

In the absence of other Fc receptors, FcγRIIIA transmits a phagocytic signal that requires the cytoplasmic domain of its γ subunit. *J.-G. Park, R. E. Isaacs, P. Chien, and A. D. Schreiber* 1967

Glucocorticoid deficiency increases phospholipase A_2 activity in rats. *B. S. Vishwanath, F. J. Frey, M. J. Bradbury, M. F. Dallman, and B. M. Frey* 1974

Disparate effects of insulin on isolated rabbit afferent and efferent arterioles. *L. A. Juncos and S. Ito* 1981

Interaction of human β1 thyroid hormone receptor and its mutants with DNA and retinoid X receptor β. T_3 response element dependent dominant negative potency. *C. A. Meier, C. Parkison, A. Chen, K. Ashizawa, S. C. Meier-Heusler, P. Muchmore, S.-y. Cheng, and B. D. Weintraub* 1986

Defective splicing of mRNA from one COL1A1 allele of type I collagen in nondeforming (type 1) osteogenesis imperfecta. *M. L. Stover, D. Primorac, S. C. Liu, M. B. McKinstry, and D. W. Rowe* 1994

Antithrombotic effects of thrombin-induced activation of endogenous protein C in primates. *S. R. Hanson, J. H. Griffin, L. A. Harker, A. B. Kelly, C. T. Esmon, and A. Gruber* 2003

Fluid shear stress differentially modulates expression of genes encoding basic fibroblast growth factor and platelet-derived growth factor B chain in vascular endothelium. *A. M. Malek, G. H. Gibbons, V. J. Dzau, and S. Izumo* 2013

Cell-specific expression of α_1-antitrypsin in human intestinal epithelium. *E. P. Molmenti, D. H. Perlmutter, and D. C. Rubin* . . . 2022

Rapid Publications

Concurrent expression of erythroid and renal aquaporin CHIP and appearance of water channel activity in perinatal rats. *B. L. Smith, R. Baumgarten, S. Nielsen, D. Raben, M. L. Zeidel, and P. Agre* . . 2035

Anti-P-selectin monoclonal antibody attenuates reperfusion injury to the rabbit ear. *R. K. Winn, D. Liggitt, N. B. Vedder, J. C. Paulson, and J. M. Harlan* 2042

Vasonatrin peptide: a unique synthetic natriuretic and vasorelaxing peptide. *C-M. Wei, C. H. Kim, V. M. Miller, and J. C. Burnett, Jr.* . . 2048

Lipopolysaccharide (LPS) recognition in macrophages. Participation of LPS-binding protein and CD14 in LPS-induced adaptation in rabbit peritoneal exudate macrophages. *J. Mathison, E. Wolfson, S. Steinemann, P. Tobias, and R. Ulevitch* 2053

A missense mutation in the cholesteryl ester transfer protein gene with possible dominant effects on plasma high density lipoproteins. *K. Takahashi, X.-C. Jiang, N. Sakai, S. Yamashita, K. Hirano, H. Bujo, H. Yamazaki, J. Kusonoki, T. Miura, P. Kussie, Y. Matsuzawa, Y. Saito, and A. Tall* 2060

Modulation of insulin receptor, insulin receptor substrate-1, and phosphatidylinositol 3-kinase in liver and muscle of dexamethasone-treated rats. *M. J. A. Saad, F. Folli, J. A. Kahn, and C. R. Kahn* . . . 2065

Conserved cytoplasmic tyrosine residues of the γ subunit are required for a phagocytic signal mediated by FcγRIIIA. *J.-G. Park, R. K. Murray, P. Chien, C. Darby, and A. D. Schreiber* 2073

Heparin regulates endothelin production through endothelium-derived nitric oxide in human endothelial cells. *K. Yokokawa, H. Tahara, M. Kohno, A. K. Mandal, M. Yanagisawa, and T. Takeda* 2080

October Author Index 2087

Contents

The Journal of Clinical Investigation
November 1993, Volume 92, Number 5

Editorials

Diseased G protein–coupled receptors. *R. J. Lefkowitz and R. T. Premont* 2089

Protease nexin-2/amyloid β-protein precursor: a cerebral anticoagulant? *D. D. Cunningham* 2090

Bile salt–induced diarrhea: the cellular mechanism. *M. Field* 2091

Perspectives

Glucokinase as pancreatic β cell glucose sensor and diabetes gene. *F. Matschinsky, Y. Liang, P. Kesavan, L. Wang, P. Froguel, G. Velho, D. Cohen, M. A. Permutt, Y. Tanizawa, T. L. Jetton, K. Niswender, and M. A. Magnuson* 2092

Regular Articles

Tissue-specific expression of the gene coding for human Clara cell 10-kD protein, a phospholipase A_2–inhibitory protein. *A. Peri, E. Cordella-Miele, L. Miele, and A. B. Mukherjee* . . 2099

A reporter transgene indicates renal-specific induction of tumor necrosis factor (TNF) by shiga-like toxin. Possible involvement of TNF in hemolytic uremic syndrome. *Y. Harel, M. Silva, B. Giroir, A. Weinberg, T. B. Cleary, and B. Beutler* 2110

Antigen mimicry in autoimmune disease sharing of amino acid residues critical for pathogenic T cell activation. *A.-M. Luo, K. M. Garza, D. Hunt, and K. S. K. Tung* . . . 2117

The regulation of adipose tissue and muscle lipoprotein lipase in runners by detraining. *R. B. Simsolo, J. M. Ong, and P. A. Kern* 2124

Mechanism of the anticoagulant effect of warfarin as evaluated in rabbits by selective depression of individual procoagulant vitamin K–dependent clotting factors. *A. Zivelin, L. V. M. Rao, and S. I. Rapaport* 2131

Regulation of mesangial cell ion channels by insulin and angiotensin II. Possible role in diabetic glomerular hyperfiltration. *B. N. Ling, E. E. Seal, and D. C. Eaton* . . 2141

Suramin interferes with interleukin-6 receptor binding in vitro and inhibits colon-26-mediated experimental cancer cachexia in vivo. *G. Strassmann, M. Fong, C. E. Freter, S. Windsor, F. D'Alessandro, and R. P. Nordan* 2152

A ligand-free, soluble urokinase receptor is present in the ascitic fluid from patients with ovarian cancer. *N. Pedersen, M. Schmitt, E. Rønne, M. I. Nicoletti, G. Høyer-Hansen, M. Conese, R. Giavazzi, K. Danø, W. Kuhn, F. Jänicke, and F. Blasi* 2160

The G proteins of the $G\alpha_i$ and $G\alpha_q$ family coupled the bradykinin receptor to the release of endothelium-derived relaxing factor. *J. K. Liao and C. J. Homcy* 2168

Taurodeoxycholate activates potassium and chloride conductances via an IP_3-mediated release of calcium from intracellular stores in a colonic cell line (T84). *D. C. Devor, M. C. Sekar, R. A. Frizzell, and M. E. Duffey* 2173

Molecular analysis of patient and carrier genes with congenital steroid 21-hydroxylase deficiency by using polymerase chain reaction and single strand conformation polymorphism. *T. Tajima, K. Fujieda, K. Nakayama, and Y. Fujii-Kuriyama* 2182

Lipoprotein lipase regulation by insulin and glucocorticoid in subcutaneous and omental adipose tissues of obese women and men. *S. K. Fried, C. D. Russell, N. L. Grauso, and R. E. Brolin* 2191

Shifts in the epitopes of myelin basic protein recognized by Lewis rat T cells before, during, and after the induction of experimental autoimmune encephalomyelitis. *F. Mor and I. R. Cohen* 2199

Early events of human T lymphocyte activation are associated with type I protein kinase A activity. *D. Laxminarayana, A. Berrada, and G. M. Kammer* 2207

Transport of β-lactam antibiotics in kidney brush border membrane. Determinants of their affinity for the oligopeptide/H^+ symporter. *H. Daniel and S. A. Adibi* . . . 2215

Protamine-mediated transport of albumin into brain and other organs of the rat. Binding and endocytosis of protamine-albumin complex by microvascular endothelium. *W. M. Pardridge, J. L. Buciak, Y.-S. Kang, and R. J. Boado* 2224

Opioid antagonist diprenorphine microinjected into parabrachial nucleus selectively inhibits vasopressin response to hypovolemic stimuli in the rat. *Y. Iwasaki, M. B. Gaskill, R. Fu, C. B. Saper, and G. L. Robertson* 2230

Myometrial angiotensin II receptor subtypes change during ovine pregnancy. *B. E. Cox, M. A. Ipson, P. W. Shaul, K. E. Kamm, and C. R. Rosenfeld* 2240

Insulin-like growth factor I stimulates lipid oxidation, reduces protein oxidation, and enhances insulin sensitivity in humans. *M. A. Hussain, O. Schmitz, A. Mengel, A. Keller, J. S. Christiansen, J. Zapf, and E. R. Froesch* 2249

Bumetanide decreases canine cerebrospinal fluid production. In vivo evidence for NaCl cotransport in the central nervous system. *S. Javaheri and K. R. Wagner* . . . 2257

High density lipoprotein deficiency with xanthomas. A defect in reverse cholesterol transport caused by a point mutation in the apolipoprotein A-I gene. *K. J. Lackner, H. Dieplinger, G. Nowicka, and G. Schmitz* 2262

Charge selectivity of the glomerular filtration barrier in healthy and nephrotic humans. *A. Guasch, W. M. Deen, and B. D. Myers* 2274

Metabolic effects of the nocturnal rise in cortisol on carbohydrate metabolism in normal humans. *S. Dinneen, A. Alzaid, J. Miles, and R. Rizza* 2283

Novel splicing, missense, and deletion mutations in seven adenosine deaminase–deficient patients with late/delayed onset of combined immunodeficiency disease. Contribution of genotype to phenotype. *I. Santisteban, F. X. Arredondo-Vega, S. Kelly, A. Mary, A. Fischer, D. S. Hummell, A. Lawton, R. U. Sorensen, E. R. Stiehm, L. Uribe, K. Weinberg, and M. S. Hershfield* 2291

Cellular basis for the negative inotropic effects of tumor necrosis factor-α in the adult mammalian heart. *T. Yokoyama, L. Vaca, R. D. Rossen, W. Durante, P. Hazarika, and D. L. Mann* 2303

Mononuclear cell infiltration and its relation to the expression of major histocompatibility complex antigens and adhesion molecules in pancreas biopsy specimens from newly diagnosed insulin-dependent diabetes mellitus patients. *N. Itoh, T. Hanafusa, A. Miyazaki, J. Miyagawa, K. Yamagata, K. Yamamoto, M. Waguri, A. Imagawa, S. Tamura, M. Inada, S. Kawata, S. Tarui, N. Kono, and Y. Matsuzawa* 2313

Effects of interleukin-1 on syntheses of alkaline phosphatase, type X collagen, and 1,25-dihydroxyvitamin D_3 receptor, and matrix calcification in rabbit chondrocyte cultures. *Y. Kato, K. Nakashima, M. Iwamoto, H. Murakami, H. Hiranuma, T. Koike, F. Suzuki, H. Fuchihata, Y. Ikehara, M. Noshiro, and A. Jikko* 2323

Antiidiotypic antibodies to sperm in sera of fertile women that neutralize antisperm antibodies. *R. K. Naz, K. Ahmad, and A. C. Menge* 2331

Different localization and regulation of two types of vasopressin receptor messenger RNA in microdissected rat nephron segments using reverse transcription polymerase chain reaction. *Y. Terada, K. Tomita, H. Nonoguchi, T. Yang, and F. Marumo* 2339

Interleukin-6 functions as an intracellular growth factor in hairy cell leukemia in vitro. *B. Barut, D. Chauhan, H. Uchiyama, and K. C. Anderson* 2346

Limb congestion and sympathoexcitation during exercise. Implications for congestive heart failure. *J. McClain, C. Hardy, B. Enders, M. Smith, and L. Sinoway* 2353

Degradation of biomaterials by phagocyte-derived oxidants. *K. Sutherland, J. R. Mahoney II, A. J. Coury, and J. W. Eaton* 2360

In vivo stimulation of connective tissue accumulation by the tripeptide–copper complex glycyl-L-histidyl-L-lysine-Cu^{2+} in rat experimental wounds. *F.-X. Maquart, G. Bellon, B. Chaqour, J. Wegrowski, L. M. Patt, R. E. Trachy, J.-C. Monboisse, F. Chastang, P. Birembaut, P. Gillery, and J.-P. Borel* 2368

Two different cytochrome P450 enzymes are the adrenal antigens in autoimmune polyendocrine syndrome type I and Addison's disease. *O. Winqvist, J. Gustafsson, F. Rorsman, F. A. Karlsson, and O. Kämpe* 2377

Involvement of the tyrosinase gene in the deposition of cardiac lipofuscin in mice. Association with aortic fatty streak development. *J.-H. Qiao, C. L. Welch, P.-Z. Xie, M. C. Fishbein, and A. J. Lusis* 2386

Gene transfer into respiratory epithelial cells by targeting the polymeric immunoglobulin receptor. *T. Ferkol, C. S. Kaetzel, and P. B. Davis* 2394

Development of pemphigus vulgaris-like lesions in severe combined immunodeficiency disease mice reconstituted with lymphocytes from patients. *I. Juhasz, G. S. Lazarus, G. F. Murphy, I.-M. Shih, and M. Herlyn* 2401

Distinct patterns of expression of fibroblast growth factors and their receptors in human atheroma and nonatherosclerotic arteries. Association of acidic FGF with plaque microvessels and macrophages. *E. Brogi, J. A. Winkles, R. Underwood, S. K. Clinton, G. F. Alberts, and P. Libby* 2408

Novel nuclear autoantigen with splicing factor motifs identified with antibody from hepatocellular carcinoma. *H. Imai, E. K. L. Chan, K. Kiyosawa, X.-D. Fu, and E. M. Tan* 2419

The human platelet alloantigens Br^a and Br^b are associated with a single amino acid polymorphism on glycoprotein Ia (integrin subunit $\alpha 2$). *S. Santoso, R. Kalb, M. Walka, V. Kiefel, C. Mueller-Eckhardt, and P. J. Newman* 2427

Triplex formation inhibits HER-2/neu transcription in vitro. *S. W. Ebbinghaus, J. E. Gee, B. Rodu, C. A. Mayfield, G. Sanders, and D. M. Miller* 2433

Alkylating agents and immunotoxins exert synergistic cytotoxic activity against ovarian cancer cells. Mechanism of action. *Y. J. Lidor, K. C. O'Briant, F. J. Xu, T. C. Hamilton, R. F. Ozols, and R. C. Bast, Jr.* 2440

Low protein diet alters urea transport and cell structure in rat initial inner medullary collecting duct. *T. Isozaki, J. W. Verlander, and J. M. Sands* 2448

Hereditary isolated glucocorticoid deficiency is associated with abnormalities of the adrenocorticotropin receptor gene. *C. Tsigos, K. Arai, W. Hung, and G. P. Chrousos* 2458

Presence of cytoplasmic factors functional in peroxisomal protein import implicates organelle-associated defects in several human peroxisomal disorders. *M. Wendland and S. Subramani* 2462

Thromboxane-insensitive dog platelets have impaired activation of phospholipase C due to receptor-linked G protein dysfunction. *G. J. Johnson, L. A. Leis, and P. C. Dunlop* 2469

A passive transfer model of the organ-specific autoimmune disease, bullous pemphigoid, using antibodies generated against the hemidesmosomal antigen, BP180. *Z. Liu, L. A. Diaz, J. L. Troy, A. F. Taylor, D. J. Emery, J. A. Fairley, and G. J. Giudice* 2480

Effects of deoxygenation on active and passive Ca^{2+} transport and on the cytoplasmic Ca^{2+} levels of sickle cell anemia red cells. *Z. Etzion, T. Tiffert, R. M. Bookchin, and V. L. Lew* 2489

Increased cyclic guanosine monophosphate production and overexpression of atrial natriuretic peptide A-receptor mRNA in spontaneously hypertensive rats. *J. Tremblay, C. Huot, R. C. Willenbrock, F. Bayard, F. Gossard, N. Fujio, C. Koch, O. Kuchel, W. Debinski, and P. Hamet* 2499

Vascular addressins are induced on islet vessels during insulitis in nonobese diabetic mice and are involved in lymphoid cell binding to islet endothelium. *A. Hänninen, C. Taylor, P. R. Streeter, L. S. Stark, J. M. Sarte, J. A. Shizuru, O. Simell, and S. A. Michie* 2509

Cytokine-stimulated secretion of group II phospholipase A_2 by rat mesangial cells. Its contribution to arachidonic acid release and prostaglandin synthesis by cultured rat glomerular cells. *J. Pfeilschifter, C. Schalkwijk, V. A. Briner, and H. van den Bosch* 2516

Cell-specific regulation of type II phospholipase A2 expression in rat mesangial cells. *M. Konieczkowski and J. R. Sedor* . . 2524

Binding of cytokines to pharmaceutically prepared human immunoglobulin. *M. Svenson, M. B. Hansen, and K. Bendtzen* 2533

Rapid Publications

Protease nexin-2/amyloid β protein precursor. A tight-binding inhibitor of coagulation factor IXa. *A. H. Schmaier, L. D. Dahl, A. J. M. Rozemuller, R. A. C. Roos, S. L. Wagner, R. Chung, and W. E. Van Nostrand* 2540

Endotoxin increases parathyroid hormone–related protein mRNA levels in mouse spleen. Mediation by tumor necrosis factor. *J. L. Funk, E. J. T. Krul, A. H. Moser, J. K. Shigenaga, G. J. Strewler, C. Grunfeld, and K. R. Feingold* 2546

Hypertensive sodium-proton exchanger phenotype persists in immortalized lymphoblasts from essential hypertensive patients. A cell culture model for human hypertension. *D. Rosskopf, E. Frömter, and W. Siffert* 2553

November Author Index 2561

Contents

The Journal of Clinical Investigation
December 1993, Volume 92, Number 6

Editorials

A slice of PAI. *D. J. Loskutoff* 2563

β-Adrenergic receptors in heart failure. *P. A. Insel* 2564

A major advance in the use of growth factors to enhance wound healing. *M. B. Sporn and A. B. Roberts* 2565

Heavy traffic at a dual-purpose human mitochondrial tRNA gene. *D. A. Clayton* 2567

In vivo gene transfer, Koch's postulates, and renal disease. *R. J. Johnson and D. Lovett* 2568

Regular Articles

Anti-transforming growth factor (TGF)-β antibodies inhibit breast cancer cell tumorigenicity and increase mouse spleen natural killer cell activity. Implications for a possible role of tumor cell/host TGF-β interactions in human breast cancer progression. *C. L. Arteaga, S. D. Hurd, A. R. Winnier, M. D. Johnson, B. M. Fendly, and J. T. Forbes* 2569

The effects of 2-year treatment with the aminobisphosphonate alendronate on bone metabolism, bone histomorphometry, and bone strength in ovariectomized nonhuman primates. *R. Balena, B. C. Toolan, M. Shea, A. Markatos, E. R. Myers, S. C. Lee, E. E. Opas, J. G. Seedor, H. Klein, D. Frankenfield, H. Quartuccio, C. Fioravanti, J. Clair, E. Brown, W. C. Hayes, and G. A. Rodan* . . 2577

Human and murine dermis contain dendritic cells. Isolation by means of a novel method and phenotypical and functional characterization. *A. Lenz, M. Heine, G. Schuler, and N. Romani* 2587

Glomerulosclerosis induced by in vivo transfection of transforming growth factor-β or platelet-derived growth factor gene into the rat kidney. *Y. Isaka, Y. Fujiwara, N. Ueda, Y. Kaneda, T. Kamada, and E. Imai* 2597

Reactivity to myelin antigens in multiple sclerosis. Peripheral blood lymphocytes respond predominantly to myelin oligodendrocyte glycoprotein. *N. K. de Rosbo, R. Milo, M. B. Lees, D. Burger, C. C. A. Bernard, and A. Ben-Nun* 2602

Release of ceramide after membrane sphingomyelin hydrolysis decreases the basolateral secretion of triacylglycerol and apolipoprotein B in cultured human intestinal cells. *F. J. Field, H. Chen, E. Born, B. Dixon, and S. Mathur* 2609

Vitreous levels of the insulin-like growth factors I and II, and the insulin-like growth factor binding proteins 2 and 3, increase in neovascular eye disease. Studies in nondiabetic and diabetic subjects. *R. Meyer-Schwickerath, A. Pfeiffer, W. F. Blum, H. Freyberger, M. Klein, C. Lösche, R. Röllmann, and H. Schatz* 2620

Potential role for interleukin-10 in the immunosuppression associated with kala azar. *B. J. Holaday, M. M. de Lima Pompeu, S. Jeronimo, M. J. Texeira, A. de Queiroz Sousa, A. W. Vasconcelos, R. D. Pearson, J. S. Abrams, and R. M. Locksley* 2626

Myelin basic protein–specific T lymphocyte repertoire in multiple sclerosis. Complexity of the response and dominance of nested epitopes due to recruitment of multiple T cell clones. *E. Meinl, F. Weber, K. Drexler, C. Morelle, M. Ott, G. Saruhan-Direskeneli, N. Goebels, B. Ertl, G. Jechart, G. Giegerich, S. Schönbeck, W. Bannwarth, H. Wekerle, and R. Hohlfeld* 2633

Regional myocardial downregulation of the inhibitory guanosine triphosphate–binding protein ($Gi\alpha_3$) and β-adrenergic receptors in a porcine model of chronic episodic myocardial ischemia. *H. K. Hammond, D. A. Roth, M. D. McKirnan, and P. Ping* 2644

Potent aquaretic agent. A novel nonpeptide selective vasopressin 2 antagonist (OPC-31260) in men. *A. Ohnishi, Y. Orita, R. Okahara, H. Fujihara, T. Inoue, Y. Yamamura, Y. Yabuuchi, and T. Tanaka* 2653

Mitochondrial myopathy with succinate dehydrogenase and aconitase deficiency. Abnormalities of several iron-sulfur proteins. *R. E. Hall, K. G. Henriksson, S. F. Lewis, R. G. Haller, and N. G. Kennaway* . . 2660

Impaired hormonal responses to hypoglycemia in spontaneously diabetic and recurrently hypoglycemic rats. Reversibility and stimulus specificity of the deficits. *A. M. Powell, R. S. Sherwin, and G. I. Shulman* 2667

The antiinflammatory mechanism of methotrexate. Increased adenosine release at inflamed sites diminishes leukocyte accumulation in an in vivo model of inflammation. *B. N. Cronstein, D. Naime, and E. Ostad* 2675

Nonsense mutation R1162X of the cystic fibrosis transmembrane conductance regulator gene does not reduce messenger RNA expression in nasal epithelial tissue. *R. Rolfini and G. Cabrini* . . . 2683

T cell receptor Vβ gene bias in rheumatoid arthritis. *R. N. Jenkins, A. Nikaein, A. Zimmermann, K. Meek, and P. E. Lipsky* 2688

Differential regulation of natriuretic peptide receptor messenger RNAs during the development of cardiac hypertrophy in the rat. *L. A. Brown, D. J. R. Nunez, and M. R. Wilkins* 2702

A splice junction mutation causes deletion of a 72-base exon from the mRNA for lysosomal acid lipase in a patient with cholesteryl ester storage disease. *H. Klima, K. Ullrich, C. Aslanidis, P. Fehringer, K. J. Lackner, and G. Schmitz* 2713

E-Selectin supports neutrophil rolling in vitro under conditions of flow. *O. Abbassi, T. K. Kishimoto, L. V. McIntire, D. C. Anderson, and C. W. Smith* 2719

Patch-clamp evidence for calcium channels in apical membranes of rabbit kidney connecting tubules. *S. Tan and K. Lau* 2731

Reduced β_1 receptor messenger RNA abundance in the failing human heart. *M. R. Bristow, W. A. Minobe, M. V. Raynolds, J. D. Port, R. Rasmussen, P. E. Ray, and A. M. Feldman* 2737

Plasminogen activator inhibitor-1 gene–deficient mice. I. Generation by homologous recombination and characterization. *P. Carmeliet, L. Kieckens, L. Schoonjans, B. Ream, A. Van Nuffelen, G. Prendergast, M. Cole, R. Bronson, D. Collen, and R. C. Mulligan* 2746

Plasminogen activator inhibitor-1 gene–deficient mice. II. Effects on hemostasis, thrombosis, and thrombolysis. *P. Carmeliet, J. M. Stassen, L. Schoonjans, B. Ream, J. J. van den Oord, M. De Mol, R. C. Mulligan, and D. Collen* 2756

Glutathione, cell proliferation, and 1,3-bis-(2-chloroethyl)-1-nitrosourea in K562 leukemia. *H. Frischer, E. J. Kennedy, R. Chigurupati, and M. Sivarajan* 2761

VLA-4 integrin can mediate CD11/CD18-independent transendothelial migration of human monocytes. *H. E. Chuluyan and A. C. Issekutz* 2768

Regulation of surfactant phosphatidylcholine secretion from alveolar type II cells during *Pneumocystis carinii* pneumonia in the rat. *W. R. Rice, F. M. Singleton, M. J. Linke, and P. D. Walzer* 2778

Tumor necrosis factor-α mediates changes in tissue protein turnover in a rat cancer cachexia model. *P. Costelli, N. Carbó, L. Tessitore, G. J. Bagby, F. J. Lopez-Soriano, J. M. Argilés, and F. M. Baccino* . . 2783

Corticotropin-releasing hormone, proopiomelanocortin, and glucocorticoid receptor gene expression in adrenocorticotropin-producing tumors in vitro. *T. Suda, F. Tozawa, I. Dobashi, N. Horiba, N. Ohmori, M. Yamakado, M. Yamada, and H. Demura* 2790

Studies of activated GPIIb/IIIa receptors on the luminal surface of adherent platelets. Paradoxical loss of luminal receptors when platelets adhere to high density fibrinogen. *B. S. Coller, J. L. Kutok, L. E. Scudder, D. K. Galanakis, S. M. West, G. S. Rudomen, and K. T. Springer* 2796

Familial hypertrophic cardiomyopathy. Microsatellite haplotyping and identification of a hot spot for mutations in the β-myosin heavy chain gene. *E. Dausse, M. Komajda, L. Fetler, O. Dubourg, C. Dufour, L. Carrier, C. Wisnewsky, J. Bercovici, C. Hengstenberg, S. Al-Mahdawi, R. Isnard, A. Hagege, J.-B. Bouhour, M. Desnos, J. Beckmann, J. Weissenbach, K. Schwartz, and P. Guicheney* . . . 2807

Osteopontin mRNA is expressed by smooth muscle-derived foam cells in human atherosclerotic lesions of the aorta. *T. Ikeda, T. Shirasawa, Y. Esaki, S. Yoshiki, and K. Hirokawa* 2814

Naturally occurring anti-i/I cold agglutinins may be encoded by different V_H3 genes as well as the $V_H4.21$ gene segment. *L. C. Jefferies, C. M. Carchidi, and L. E. Silberstein* 2821

Renal ammonia and glutamine metabolism during liver insufficiency-induced hyperammonemia in the rat. *C. H. C. Dejong, N. E. P. Deutz, and P. B. Soeters* 2834

One systemic administration of transforming growth factor-β1 reverses age- or glucocorticoid-impaired wound healing. *L. S. Beck, L. DeGuzman, W. P. Lee, Y. Xu, M. W. Siegel, and E. P. Amento* . . 2841

Expression of parathyroid hormone-related protein in the rat glomerulus and tubule during recovery from renal ischemia. *N. E. Soifer, S. K. Van Why, M. B. Ganz, M. Kashgarian, N. J. Siegel, and A. F. Stewart* 2850

Cell–matrix interactions modulate interstitial collagenase expression by human keratinocytes actively involved in wound healing. *U. K. Saarialho-Kere, S. O. Kovacs, A. P. Pentland, J. E. Olerud, H. G. Welgus, and W. C. Parks* 2858

Endothelium-dependent hyperpolarization caused by bradykinin in human coronary arteries. *M. Nakashima, J.-V. Mombouli, A. A. Taylor, and P. M. Vanhoutte* 2867

Vasodilation of rat retinal microvessels induced by monobutyrin. Dysregulation in diabetes. *Y.-D. C. Halvorsen, S.-E. Bursell, W. O. Wilkison, A. C. Clermont, M. Brittis, T. J. McGovern, and B. M. Spiegelman* 2872

Cardiac-α myosin heavy chains differ in their induction of myocarditis. Identification of pathogenic epitopes. *L. Liao, R. Sindhwani, L. Leinwand, B. Diamond, and S. Factor* 2877

The reovirus M1 gene determines the relative capacity of growth of reovirus in cultured bovine aortic endothelial cells. *Y. Matoba, W. S. Colucci, B. N. Fields, and T. W. Smith* 2883

Glucose-induced protein kinase C activity regulates arachidonic acid release and eicosanoid production by cultured glomerular mesangial cells. *B. Williams and R. W. Schrier* 2889

Platelet-derived growth factor inhibits bone regeneration induced by osteogenin, a bone morphogenetic protein, in rat craniotomy defects. *L. J. Marden, R. S. P. Fan, G. F. Pierce, A. H. Reddi, and J. O. Hollinger* 2897

Two novel pathogenic mitochondrial DNA mutations affecting organelle number and protein synthesis. Is the $tRNA^{Leu(UUR)}$ gene an etiologic hot spot? *C. T. Moraes, F. Ciacci, E. Bonilla, C. Jansen, M. Hirano, N. Rao, R. E. Lovelace, L. P. Rowland, E. A. Schon, and S. DiMauro* 2906

Mithramycin selectively inhibits collagen-α1(I) gene expression in human fibroblast. *M. C. Nehls, D. A. Brenner, H.-J. Gruss, H. Dierbach, R. Mertelsmann, and F. Herrmann* 2916

Accumulation of "small dense" low density lipoproteins (LDL) in a homozygous patient with familial defective apolipoprotein B-100 results from heterogenous interaction of LDL subfractions with the LDL receptor. *W. März, M. W. Baumstark, H. Scharnagl, V. Ruzicka, S. Buxbaum, J. Herwig, T. Pohl, A. Russ, L. Schaaf, A. Berg, H.-J. Böhles, K. H. Usadel, and W. Groß* 2922

Impairment of cardiac function and energetics in experimental renal failure. *A. E. G. Raine, A.-M. L. Seymour, A. F. C. Roberts, G. K. Radda, and J. G. G. Ledingham* 2934

Entry of cholera toxin into polarized human intestinal epithelial cells. Identification of an early brefeldin A sensitive event required for A_1-peptide generation. *W. I. Lencer, J. B. de Almeida, S. Moe, J. L. Stow, D. A. Ausiello, and J. L. Madara* 2941

Infusion of platelet-derived growth factor or basic fibroblast growth factor induces selective glomerular mesangial cell proliferation and matrix accumulation in rats. *J. Floege, E. Eng, B. A. Young, C. E. Alpers, T. B. Barrett, D. F. Bowen-Pope, and R. J. Johnson* . . 2952

Skeletal muscle glycogenolysis is more sensitive to insulin than is glucose transport/phosphorylation. *L. Rossetti and M. Hu* 2963

Bence Jones proteins bind to a common peptide segment of Tamm-Horsfall glycoprotein to promote heterotypic aggregation. *Z.-Q. Huang, K. A. Kirk, K. G. Connelly, and P. W. Sanders* 2975

Tauroursodeoxycholic acid stimulates hepatocellular exocytosis and mobilizes extracellular Ca^{++} mechanisms defective in cholestasis. *U. Beuers, M. H. Nathanson, C. M. Isales, and J. L. Boyer* 2984

Restoration of the cAMP second messenger pathway enhances cardiac preservation for transplantation in a heterotopic rat model. *D. Pinsky, M. Oz, H. Liao, S. Morris, J. Brett, R. Sciacca, M. Karakurum, M. Van Lookeren Campagne, J. Platt, R. Nowygrod, S. Koga, and D. Stern* 2994

Mechanical strain and collagen potentiate mitogenic activity of angiotensin II in rat vascular smooth muscle cells. *K. Sudhir, E. Wilson, K. Chatterjee, and H. E. Ives* 3003

Upregulated expression and function of integrin adhesive receptors in systemic lupus erythematosus patients with vasculitis. *T. Takeuchi, K. Amano, H. Sekine, J. Koide, and T. Abe* 3008

Rapid Publications

Endothelial cell Ca^{2+} increases upon tumor cell contact and modulates cell–cell adhesion. *R. Pili, S. Corda, A. Passaniti, R. C. Ziegelstein, A. W. Heldman, and M. C. Capogrossi* 3017

Gray platelet syndrome. Dissociation between abnormal sorting in megakaryocyte α-granules and normal sorting in Weibel-Palade bodies of endothelial cells. *J. Gebrane-Younès, E. M. Cramer, L. Orcel, and J. P. Caen* 3023

Transgenic mice expressing high plasma concentrations of human apolipoprotein B100 and lipoprotein(a). *M. F. Linton, R. V. Farese, Jr., G. Chiesa, D. S. Grass, P. Chin, R. E. Hammer, H. H. Hobbs, and S. G. Young* 3029

Rolling and adhesion of human tumor cells on vascular endothelium under physiological flow conditions. *R. Giavazzi, M. Foppolo, R. Dossi, and A. Remuzzi* 3038

Nonenzymatic glycosylation-induced modifications of intact bovine kidney tubular basement membrane. *S. S. Anderson, E. C. Tsilibary, and A. S. Charonis* 3045

Nitric oxide mediates interleukin-1–induced cellular cytotoxicity in the rat ovary. A potential role for nitric oxide in the ovulatory process. *C. Ellman, J. A. Corbett, T. P. Misko, M. McDaniel, and K. P. Beckerman* 3053

December Author Index 3057

Author Index to Volume 92 3059